

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problems Mailbox.**

**Amendments to the Claims:**

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

---

1. (Currently amended) A web browser program executable by a client computer connectable to server computers by a computer network, the web browser program automatically reconfiguring chrome of a user interface to the web browser program to provide a user access to any one of groups of related information, the web browser program comprising:

a content display program configured to receive content data from a current web site of a current server computer, and to cause information representative of the content data to be displayed on a content portion of a display of the client computer;

a chrome display program configured to cause chrome that corresponds to chrome specifiers ~~in a chrome configuration database~~ to be displayed on a chrome portion of the client computer display;

a current site communication program configured to provide an indication of the current server computer to related information servers indicated by a related information servers indication;

~~a chrome configuration processing program configured to receive, from the related information servers, related information designators provided to the client computer based on the indication of the current server computer, and to provide the related information designators as chrome specifiers in the chrome configuration database such that the chrome display program displays the related information designators as part of the chrome; and~~

a related information servers indication receiving program configured to receive the related information servers indication from at least one of the server computers such that the related information servers indication is dynamically reconfigurable,

wherein;

the chrome corresponding to the chrome specifiers of the current web site being rendered and displayed by the chrome display program corresponds to content from the current web site of the current server computer and adds a new control element to the chrome being displayed while

maintaining at least one element of the chrome that was displayed prior to the addition of the new control element, and

the new control element is configured to invoke functionality related to the current web site being rendered.

2. (Previously presented) The web browser program as claimed in claim 1 wherein the related information servers indication receiving program is configured to receive the related information servers indication in a RDF format.

3. (Previously presented) The web browser program as claimed in claim 1 wherein the related information designators received from the related information servers specify the appearance of at least one sub-portion of the chrome portion of the client computer display and a behavior associated with user activation of the sub-portion.

4. (Previously presented) The web browser program as claimed in claim 3 wherein at least one of the related information designators received from the server computer specifies the behavior as a JavaScript method.

5. (Previously presented) The web browser program as claimed in claim 1 wherein the at least one of the server computers from which the related information servers indication is received by the related information servers indication receiving program is a trusted server computer to which the web browser program causes the client computer to connect.

6. (Previously presented) The web browser program as claimed in claim 5 wherein the trusted server computer is a default server computer to which the web browser program causes the client computer to connect upon a first execution of the web browser after a predetermined event.

7. (Previously presented) The web browser program as claimed in claim 6 wherein the predetermined event is installation of the web browser program on the client computer.

8. (Previously presented) The web browser program as claimed in claim 1 wherein the web browser program causes the client computer to provide to the related information servers an indication of a demographic of the user, and the related information provided by the related information servers corresponds to that demographic.

9. (Previously presented) The web browser program as claimed in claim 8 wherein the demographic is an indication of an identity of the user.

10. (Previously presented) The web browser program as claimed in claim 1 wherein the related information provided by the related information servers includes at least one link to a web site having content the subject matter of which is related to the subject matter of the current web site and a review of the current web site.

11. (Previously presented) The web browser program as claimed in claim 1 the web browser program further comprising:

a confirmation program configured to confirm whether the user desires to store a related information server indication in a related information server indication database and to control that storage based on the confirmation,

wherein the servers to which the current server computer indication is provided are limited to servers having indications in the related information server indication database.

12. (Currently amended) A web browser program executable by a client computer connectable to server computers by a computer network, the web browser program automatically reconfiguring chrome of a user interface to the web browser program to provide a user access to any one of groups of related information, the web browser program comprising:

a content display program configured to receive content data from a current web site of a current server computer, and to cause information representative of the content data to be displayed on a content portion of a display of the client computer;

a chrome display program configured to cause chrome that corresponds to chrome specifiers ~~in a chrome configuration database~~ to be displayed on a chrome portion of the client computer display;

a current site communication program configured to provide an indication of the current server computer to related information servers indicated by a related information servers indication;

~~a chrome configuration processing program configured to receive, from the related information servers, related information designators provided to the client computer based on the indication of the current server computer, and to provide the related information designators as chrome specifiers in the chrome configuration database such that the chrome display program displays the related information designators as part of the chrome; and~~

a related information servers indication receiving program configured to receive the related information servers indication from at least one of the server computers such that the related information servers indication is dynamically reconfigurable,

wherein the chrome corresponding to the chrome specifiers and displayed by the chrome display program corresponds to a language demographic of the user and is based on chrome specifiers provided by a web site that is controlled by a party providing content for the current web site being rendered.

13. (Currently amended) A web browser program executable by a client computer connectable to server computers by a computer network, the web browser program automatically reconfiguring chrome of a user interface to the web browser program to provide a user access to any one of groups of related information, the web browser program comprising:

a content display program configured to receive content data from a current web site of a current server computer, and to cause information representative of the content data to be displayed on a content portion of a display of the client computer;

a chrome display program configured to cause chrome that corresponds to chrome specifiers ~~in a chrome configuration database~~ to be displayed on a chrome portion of the client computer display;

a current site communication program configured to provide an indication of the current server computer to related information servers indicated by a related information servers indication;

~~a chrome configuration processing program configured to receive, from the related information servers, related information designators provided to the client computer based on the indication of the current server computer, and to provide the related information designators as chrome specifiers in the chrome configuration database such that the chrome display program displays the related information designators as part of the chrome; and~~

a related information servers indication receiving program configured to receive the related information servers indication from at least one of the server computers such that the related information servers indication is dynamically reconfigurable,

wherein the chrome corresponding to the chrome specifiers and displayed by the chrome display program are is based on at least one of the content and the chrome of past web sites selected by the user computer and corresponds to a chrome that includes words that are based on a language demographic of the user.

14. (Currently amended) A web browser program executable by a client computer connectable to server computers by a computer network, the web browser program automatically reconfiguring chrome of a user interface to the web browser program to provide a user access to any one of groups of related information, the web browser program comprising:

a content display program configured to receive content data from a current web site of a current server computer, and to cause information representative of the content data to be displayed on a content portion of a display of the client computer;

a chrome display program configured to cause chrome that corresponds to chrome specifiers ~~in a chrome configuration database~~ to be displayed on a chrome portion of the client computer display;

a current site communication program configured to provide an indication of the current server computer to related information servers indicated by a related information servers indication;

~~a chrome configuration processing program configured to receive, from the related information servers, related information designators provided to the client computer based on the indication of the current server computer, and to provide the related information designators as chrome specifiers in the chrome configuration database such that the chrome display program displays the related information designators as part of the chrome; and~~

a related information servers indication receiving program configured to receive the related information servers indication from at least one of the server computers such that the related information servers indication is dynamically reconfigurable,

wherein the chrome corresponding to the chrome specifiers and displayed by the chrome display program corresponds to content from the current web site of the current server computer such that the chrome is based on a chrome specifier corresponding to the current web site being rendered when a chrome specifier is associated with the current web site and the chrome returns to a default chrome when a chrome specifier is not associated with the current web site.

15. (Currently amended) The method of claim 1 wherein:

the chrome corresponding to the chrome specifiers of the current web site being rendered and displayed by the chrome display program adds a new control element to the chrome displayed based on past web sites rendered by the client computer while maintaining at least one element of the chrome displayed prior to the addition of the new control element.

16. (New) The web browser program as claimed in claim 1 further comprising a chrome configuration processing program configured to receive, from the related information servers, related information designators provided to the client computer based on the indication of the current server computer, and to provide the related information designators as chrome specifiers in a chrome configuration database such that the chrome display program displays the related information designators as part of the chrome.

17. (New) The web browser program as claimed in claim 12 further comprising a chrome configuration processing program configured to receive, from the related information servers, related information designators provided to the client computer based on the indication

of the current server computer, and to provide the related information designators as chrome specifiers in a chrome configuration database such that the chrome display program displays the related information designators as part of the chrome.

18. (New) The web browser program as claimed in claim 13 further comprising a chrome configuration processing program configured to receive, from the related information servers, related information designators provided to the client computer based on the indication of the current server computer, and to provide the related information designators as chrome specifiers in a chrome configuration database such that the chrome display program displays the related information designators as part of the chrome.

19. (New) The web browser program as claimed in claim 14 further comprising a chrome configuration processing program configured to receive, from the related information servers, related information designators provided to the client computer based on the indication of the current server computer, and to provide the related information designators as chrome specifiers in a chrome configuration database such that the chrome display program displays the related information designators as part of the chrome.

20. (New) A web browser program executable by a client computer connectable to server computers by a computer network, the web browser program automatically reconfiguring chrome of a user interface to the web browser program to provide a user access to any one of groups of related information, the web browser program comprising:

a content display program configured to receive content data from a current web site of a current server computer, and to cause information representative of the content data to be displayed on a content portion of a display of the client computer;

a chrome display program configured to cause chrome that corresponds to chrome specifiers to be displayed on a chrome portion of the client computer display;

a current site communication program configured to provide an indication of the current server computer to related information servers indicated by a related information servers indication; and



a related information servers indication receiving program configured to receive the related information servers indication from at least one of the server computers such that the related information servers indication is dynamically reconfigurable,

wherein:

the chrome corresponding to the chrome specifiers of the current web site being rendered and displayed by the chrome display program corresponds to content from the current web site of the current server computer and modifies less than all of the control elements on the chrome, and

at least one modified control element is configured to invoke functionality related to the current web site being rendered.

21. (New) A method for reconfiguring chrome of a user interface to a web browser program, the method comprising:

receiving content from a selected web site of a current server computer connected to server computers by a computer network;

causing information representative of the content data to be displayed on a content portion of a display of the client computer;

causing chrome that corresponds to chrome specifiers to be displayed on a chrome portion of the client computer display; and

adding a new control element to the chrome being displayed while maintaining at least one element of the chrome that was displayed prior to the addition of the new control element, wherein the new control element is configured to invoke functionality related to the current web site being rendered.

22. (New) The method of claim 21, wherein causing chrome to be displayed comprises causing chrome that corresponds to chrome specifiers to be displayed on a chrome portion of the client computer display, further comprising:

receiving related information designators as chrome specifiers such that the related information designators are displayed as part of the chrome, and

storing chrome specifiers in the chrome configuration database.

23. (New) The method of claim 22 wherein the related information designators received specify the appearance of at least one sub-portion of the chrome portion of the client computer display and a behavior associated with user activation of the sub-portion.

24. (New) The method of claim 22 further comprising providing to a related information server an indication of a demographic of the user,

wherein receiving related information designators comprises receiving related information designators as chrome specifiers such that the related information designators are displayed as part of the chrome and to related information designators correspond to the demographic of the user.

---